



(864) 573-7400 PHONE  
(864) 585-3635 FAX  
[info@trucktanks.com](mailto:info@trucktanks.com) EMAIL

P.O. Box 2807  
Spartanburg, SC 29304  
[www.trucktanks.com](http://www.trucktanks.com)

## **STOCK #26003BL**

**TANK:** 2600 Gallon aluminum tank with 3 compartments holding 1500-700-400 gallons front to rear. Tank has double bulkheads, emergency valves, 3" lines run to the side terminating in bottom load adapters with 2" wet-dry valves. Tank is AL5D style with trim fenders and 16" lift out manhole covers with 10" fills. There is a built-in platform ladder at the rear.

**MODEL AL5D:** Tank is a modified "Bikini" style with full rear head behind a large rear equipment canopy, which can accommodate one or two inverted hose reels. This canopy opens both to the curb and driver's side with rollers/guides on both sides for ease of delivery. The meter boxes, under the canopy, are aluminum with (2) doors and slam lock hardware.

**BOTTOM LOADING:** Includes (3) 4" EBW non-openable loaders, (3) gravity drop adapters with keeper chain, (3) dust caps, (3) interlock air operated valve mounted on each bottom loading adapter, (3) deflectors which control splash above sumps, (3) Scully probes, (3) 3-1/2" air vents with hoods, (1) vapor recovery line to the rear, (1) 4" Betts inbreathing vent, (1) 4" Betts outbreathing vent, (1) Scully on-board control monitor, (1) Scully SJ-6 socket for thermistor, (1) Scully SJ-6S socket for thermistor, (1) Scully SJ-6W socket for optic, and (1) Scully static grounding bolt for groundhog system.

**EQUIPMENT:** (1) Set of pumping equipment located on the driver side includes: (1) Blackmer TXD2 pump, (1) Liquid Controls 100 GPM rated meter with auto stop and ticket printer, (1) Hannay inverted hose reel with 100' x 1" fuel hose and 1" nozzle, new 2" Goodyear jumper hose, 2" 90° Evertite coupler, new clutch shift power take off with rear mounted controls, 10# fire extinguisher and (1) set flip placards. (1) Set of equipment located on the curb side includes: (1) TXD2.5 Blackmer pump, (1) Liquid Controls 100 GPM rated meter with auto stop and ticket printer, (1) Hannay inverted hose reel with 100' x 1-3/8" fuel hose and 1-1/2" nozzle, new 2" Goodyear jumper hose, 2" 90° Evertite coupler, new clutch shift power take off with rear mounted controls.

**TRUCK:** 2004 Freightliner M2-106 with Cat C-7 230 HP diesel engine, 6-speed transmission, 12,000# front axle, 23,000# rear axle, reinforced frame, spring suspension, air brakes, steel rear and front wheels, 22.5 tires, air ride high back driver seat, fix bench passenger seat, 80-gallon aluminum fuel tank, air horn, heated West Coast and convex mirrors. Truck has air conditioning, AM/FM/Cassette, horizontal exhaust, front tow hooks, cruise control, block heater, power windows and locks. Truck has approximately 127,050 miles.

Tank is metallic gray. Chassis is white.

Tank is MC 406 certified to haul gasoline and all other petroleum products. Current V-K-I-P tests are included.

A 90-day warranty on tank and pumping equipment is standard. As is our custom, no warranty is offered on used cab and chassis.





